

# SILTmasta SF3000

Standard Sediment / Silt Fence



## SILTmasta SF3000

### Overview

SILTmasta standard silt fence 850 mm x 100m. **Weave Density** is 12 x 12, **Porosity** is (about) 0.22mm. Woven sediment silt stop with a high flow rate and long-lasting lifespan on site. This standard silt fence has woven edges to resist fraying and is UV resistant. The material consists of polypropylene tape yarn, ideal for long term applications.

- Roll Height: 850mm
- Roll Length: 100m
- Weight: approximately 8.4kg per roll
- Pallet Qty: 40 rolls

### Description

Soil erosion, sediment and litter from construction sites can be managed by installing a silt fence. These simple sediment control fences help prevent soil erosion, flow of sediment in and out of worksites, and stop construction litter from being washed onto verges, roads and green spaces outside the construction zone. Silt fences can be used with wooden stakes, tomato stakes, pegs or star pickets as a support. The SILTmasta sediment fence measures 860mm high giving good protection to the boundary of your work site.

Sediment and silt escaping from construction operations can be a major source of storm water pollution and can cause significant harm to the environment. Anyone on a building site who does not comply with sediment control regulations can be prosecuted or issued with on-the-spot fines. Companies, builders, subcontractors and individuals can all be fined. Therefore, it's wise to install a sediment fence such as the SILTmasta™ economy silt fence.

This tough, UV resistant woven silt fence measures 860mm high and comes in a 100 metre roll. It is an economical solution, ideal for short term environmental management applications.

- 100 metre roll
- 850mm high
- UV resistant silt stop
- Made from woven polypropylene tape yarn
- Woven edges to resist fraying
- Flow rate 15 L/m/s
- Green
- Ideal for short term applications

### Additional Information

<b>Code</b>	30-SF3000
<b>U.O.M</b>	Roll
<b>Weight</b>	8
<b>Brand</b>	GEOmasta
<b>Material</b>	Woven
<b>Colour</b>	Green
<b>Width</b>	850 mm
<b>Length</b>	100 m





**Jaybro**

CONSIDER IT DONE.

# Polyfabrics

*Reliability you  
can build on*

# 5%

## PRICE BEAT GUARANTEE

If you find a lower price for an equivalent to any product in our catalogue, We'll beat that price by 5%\*.

\*See terms and conditions on website

[technical@polyfabrics.com.au](mailto:technical@polyfabrics.com.au)

[sales@polyfabrics.com.au](mailto:sales@polyfabrics.com.au)

[polyfabrics.com.au](http://polyfabrics.com.au)

1300 287 484

**NSW WAREHOUSE**  
60 O'Connell St.  
Smithfield NSW 2164

**VIC WAREHOUSE**  
84-86 Mitchell St.  
Maidstone VIC 3012

**QLD WAREHOUSE**  
13/63 Burnside Rd.  
Stapylton QLD 4207

**SA WAREHOUSE**  
Ceafield Road, Para  
Hills West, SA, 5096

**NZ WAREHOUSE -  
NORTH ISLAND**  
8-10 Hannigan Drive,  
St Johns Auckland 1072

**NZ WAREHOUSE -  
SOUTH ISLAND**  
2 Kennaway Road,  
Woolston Christchurch 8023

**DISCLAIMER:** Consult Jaybro Group or a certified Engineer for site specific installation instructions. Jaybro Group reserves the right to change its product specification at any time. It is the responsibility of the specifier and purchaser to ensure that product specifications used for design and procurement purposes are current and consistent with the products used in each instance. E&OE